Girdhar, Virchand Nemchand and Jayantilal Panachand the proprietors, by whom they were never endorsed to any other person, having been lost or misplaced, notice is hereby given that payment of the following notes and the interest thereupon has been stopped by the Comptroller to the Government of His Highness the Maharaja of Mysore and that application is about to be made for issue of the duplicates in favour of the proprietors. The public are cautioned against purchasing or otherwise dealing with the undermentioned securities.

| *No.* | *Amount.* Rs. a. p. | *No.* | *Amount.* Rs. a. p. |
|---|---|---|---|
| 000130 .. | 1,000 0 0 | E 000649 .. | 500 0 0 |
| 000131 .. | 1,000 0 0 | E 000650 .. | 500 0 0 |
| 000132 .. | 1,000 0 0 | 000159 .. | 1,000 0 0 |
| 000133 .. | 1,000 0 0 | 000160 .. | 1,000 0 0 |
| 000134 .. | 1,000 0 0 | E 000547 .. | 500 0 0 |
| 000135 .. | 1,000 0 0 | E 000599 .. | 500 0 0 |
| 000136 .. | 1,000 0 0 | E 000600 .. | 500 0 0 |
| E 000645 .. | 500 0 0 | E 000601 .. | 500 0 0 |
| E 000646 .. | 500 0 0 | | |
| E 000647 .. | 500 0 0 | Total .. | 14,000 0 0 |
| E 000648 .. | 500 0 0 | | |

*Name of person Notifying.*—Premjee Nagurdas.

*Residence.*—84, Bazargate Street, Fort, Bombay.

## GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

*No. S. P. C.* 29625-49, *dated* 13*th March* 1940.

To

*The Firms dealing in Pumping Sets.*

*Enquiry No.* 3949.

SELF-ACTING PRESSURE PUMP.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Self-acting Pressure Pump", with the above enquiry number.

This enquiry will be closed on the 18th April 1940.

*Schedule.*

| Item No. | Description of material offered | Quantity | Price quoted F.O.R. Bangalore |
|---|---|---|---|
| 1 | Self-acting pressure pump capacity of the pump 100 to 300 gallons per hour. It should be automatic in action. The suction will be from a storage tank and the pump will be placed near the above tank .. .. .. .. .. | One | |

*N.B.*—The name of the manufacturer should be clearly specified.

*No. S. P. C. 29650-59, dated 12th March 1940.*

To

*The Firms dealing in Switches and Crossings.*

*Enquiry No. 3948.*

SWITCHES AND CROSSINGS REQUIRED FOR RENEWAL OF POINTS AND CROSSINGS IN BANGALORE DISTRICT DURING 1939-40.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form given below.

The materials will be subject to inspection and test by the Inspecting Staff of the Indian Stores Department. Our acceptance or rejection of the materials will be based on the results of such inspection.

The prices to be quoted should be for delivery *F.O.R.*, any Railway Station in the Mysore State based on R.M.C. certificate which will be issued by the Railway Department after the order is placed.

Part numbers as indicated in I.R.S., drawings should be stamped on the fastenings, etc., to be supplied.

All materials should be stamped "M.S.R." before despatch.

Round spikes to I.R.S. drawing No. To 18—ALT. 2 and also all optional bearing plates marked in I.R.S. drawing should also be supplied.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specification will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty 3 per cent of the value of the order as and by way of liquidated damages. In such an event the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Switches and Crossings", with the above enquiry number.

This enquiry will be closed on the 1st of April 1940.

| Item No. | Description of articles with specifications | Quantity | Delivery Instructions |
|---|---|---|---|
| | *Metre Gauge.* | | |
| 1 | (*a*) Crossings 1 in 8½ from 60 R. lb. Sec. F.F.B.S. Sec. Rails for Metre Gauge, as per Drg. No. I.R.S. (T) TA 5050 ALT-5 No. T 10-37.<br>(*b*) 13′–6″ over-riding switches from 60 R. lb. F.F., B.S. Sec. rails for Metre Gauge, as per Drg. No. I.R.S. (T) TA-5122 ALT-5 and to I.R.S. Specification No. T. 10-37 gauge-tie plates, connecting rods complete, but excluding lever boxes.<br>5 sets to be righthanded, and<br>4 sets to be lefthanded. | 9 sets | To be booked to the address of P.W. Inspectors as under:—One set to Harihar Station, to the address of P.W.I., *Davangere*. One set to same as above. One set to Banasandra to the address of P.W.I., Nittur. One set to Arsikere to the address of P.W.I., Arsikere. One set to Tumkurto to the address of P.W.I., Tumkur. Two sets to Birur to the address of P.W.I., Arsikere. Two sets to Bangalore City to the address of P.W.I., Bangalore City. |
| 2 | (*a*) Crossings 1/12 from 60 R. lb. F.F., B.S. Sec. rails, complete for Metre Gauge, as per Drg. No. I.R.S. (T) TA 5047-ALT-5 and to I.R.S. specification No. T-10-37.<br>(*b*) 18 ft. over-riding switches from 60 R. lb. F.F., B.S., Sec. rails for Metre Gauge as per Drg. No. I.R.S. (T) TA 5053 ALT-7 and to I.R.S. specification No. T. 10-37. Gauge tie plates connecting rods, etc., complete, excluding lever boxes.<br>One set to be lefthanded. | 1 set* | *To be consigned to Arsikere, to the address of the P.W.I., Arsikere. |
| 3 | (*a*) Crossings 1 in 8½ from 50 R. lb. F. F., B.S. Sec. rails for Metre Gauge to I.R.S. Drg. No. TA 5127-ALT 2 and to I.R.S. specification No. T. 10-37.<br>(*b*) 13′–6″ over-riding switches from 50 R. lb. F.F., B.S. Section rails for Metre Gauge to Drg. No. I.R.S. (T) TA 5128 ALT-8 and to I.R.S. specification No. T.-10-37 Gauge-tie plates, connecting rods, etc., complete, but excluding lever boxes.<br>One set to be righthanded. | 1 set | To be consigned to the address of P. W. I., Bhadravati. |

| Item No. | Description of articles with specifications | Quantity | Delivery Instructions |
|---|---|---|---|
| | *2–0′ Gauge.* | | |
| 4 | (*a*) 40 R. lb. section built-up crossings 1 in 8 for 2 ft. gauge complete with ramped wing rails, suitable for fishing with standard section flatfooted rails and to conform to I R.S. specification No. T. 10-37 and to schedule of standard dimensions of Indian Railways for 2 ft. Gauge Track published in 1922.<br>(*b*) 40 R. lb. section built-up switches to match for 1 in 8 crossing with throw over levers and fittings, such as, steel slide chairs, etc., complete. The switches are to conform to I.R.S. specification No. T. 10-37 and to schedule of standard dimensions of Indian Railways for 2 ft. Gauge track published in 1922. | 1 set | To be consigned to the address of P. W. I., Lakkavalli. |

*No. S. P. C.* 29969-78, *dated* 12*th March* 1940.

To

*The Furniture Contractors.*

*Enquiry No.* 3951.

GENTLEMEN,

Please intimate your best present day prices for articles of furniture noted overleaf for delivery free at the Sri Krishnarajendra Silver Jubilee Technological Institute, Bangalore.

Your quotation should be subject to the conditions of contract enclosed and should reach this office by 27th March 1940.

The quotations should be superscribed "Quotation for furniture required for the Sri Krishnarajendra Silver Jubilee Technological Institute, Bangalore", with the above Enquiry Number.

*Schedule of Articles.*

1. *Four*—Teakwood Tables for the Block Printing Room of the following dimensions: 6′ long ×3′ wide ×3′ high; thickness of the top plank should be 1″ minimum. Thickness of legs—3″×3″ minimum. The table should be provided with two shelves with locking arrangement of 18″ width at each end of the table.
2. *Four.*—Teakwood tables for colour pans. Dimension: 2′ long ×1′–6″ wide ×2′–9″ high. Thickness of the top plank: ½″ minimum. Thickness of the legs 1½″ square, with beading of 1″ width all round on the top.
3. *Two.*—Heavy Teakwood Table, 3′–6″ long ×2′ wide ×3′ high. Thickness of the top plank: 1½″ minimum. Legs 4″ square. The top must have a projection of 2″ all round.
4. *Three.*—Teakwood tables, each 10′ long ×4′–6″ wide ×3′ high. Thickness of the top plank: 1½″ minimum. The legs should be of 3″ square. Each table should have 18″ wide shelves with locking arrangement, one on each end of the table. The three tables must be exactly of the same height and must be fitted one by the side of other to form one continuous table 30′ long ×4′–6″ wide × 3′ high, perfectly level.
5. *Two.*—Stands each 5′ long ×3′ wide ×8′ high, having hollow brass rods of 1″ diameter fixed in two tiers at intervals of 4″ along the width.
6. *Two.*—Teakwood pillars, rectangular, 8″×8″×6″ with two tapering cylindrical arms 180″ apart, the arms being two feet long and tapering from 6″ at the pillar to 3″ at the end.
7. 100.—Solid cane or teakwood rods of 3′ length and 1″ diameter, having perfectly smooth surface.
8. *Two.*—Rectangular teakwood vats suitable for dyeing and washing, internal dimension 4′ long ×1′–6″ wide ×2′–8″ high of about 100 gallons capacity. One of the vats to have perforated false bottom. The other should have grating type of false bottom. Both the vats should be provided with drain cocks for the outlet of liquor from the vats.
9. *Two.*—Vats of about 166 gallons capacity with internal dimension 5′ long, 2′ wide, 2′–8″ high, one having grating type of false bottom and outlet drain cock. The other should have no false bottom, but should be provided with drain cock.

   The vats should be made of well seasoned first class teackwood of minimum 2½″ thickness planks free from knots or cracks. No plank of less than 12″ width should be used. The various pieces should be securely jointed and should be perfectly water-tight. The sides of the vats have to be braced by ⅝″ to ¾″ stay rods. The outer side of the vat should be strengthened with steel or cast iron brackets and stay rods. The false bottom should be made of first class teakwood of minimum 1″ thickness, having either circular holes of about 1″ diameter when of a sieve type or should be made of strips of wood spaced with a gap of 1″ in between. The false bottom should be at a height of 2″ from the bottom in the vats. No metal should be used inside the vat for joining the various planks, etc. The drain-off cock to be 2″ bore, provided with pipe and tap and to be fixed at one corner of the vat at the bottom.

*N.B.*—How soon you will be able to supply the articles should be specified in your quotation.

*Conditions of contract for the supply of articles of furniture.*

1. The articles will be required to be manufactured according to our specifications out of well seasoned Mysore Teakwood or Rosewood, as the case may be, free from all defects, such as knots, bends, white and sap wood, etc. All the articles are required to be well polished and varnished.

2. The articles will be subject to inspection by an officer to be deputed for the purpose both during manufacture and after completion and such of the articles as may be found defective during such inspection, either due to bad workmanship or due to use of bad materials, will be rejected and you will be required to replace them by sound ones according to specification.

3. The soundness of all the articles should be guaranteed for one year during which period the defects that may be noticed by the department will have to be rectified by you at your cost.

4. You should be prepared to execute an agreement undertaking to abide by the conditions of our tender and also to deposit as security a sum not less than five per cent of the value of the order.

5. Withdrawal from the quotation after it is accepted or failure to make supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of three per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of Approved Firms.

---

*No. S. P. C.* 30019-30, *dated* 13*th March* 1940.

To

*The Firms dealing in Tools.*

*Enquiry No.* 3952.

TOOLS FOR THE ELECTRICAL DEPARTMENT.

GENTLEMEN,

I write to request you to quote your best prices and earliest time of delivery for the following tools and miscellaneous materials :—

| | | | | | |
|---|---|---|---|---|---|
| Monkey wrenches, adjustable | 6″ | best English or American make | .. | .. | 12 Nos. |
| Do | do | 8″ | do | .. | .. | 12 „ |
| Do | do | 12″ | do | .. | .. | 9 „ |
| Do | do | 14″ | do | .. | .. | 1 No. |
| Do | do | 16″ | do | .. | .. | 4 Nos. |
| Emery compound for Valve grinding, | | rough | .. | .. | .. | 5 lbs. |
| Do | do | | smooth | .. | .. | .. | .. | 7 „ |

The prices to be quoted should be for delivery, f.o.r., Bangalore.

This enquiry will close on the 27th March 1940.

---

*No. S. P. C.* 30129-42, *dated* 16*th March* 1940.

To

*The Firms dealing in Electric Bulbs.*

*Enquiry No.* 3953.

ELECTRIC BULBS FOR KRISHNARAJASAGAR DIVISION.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Electric Bulbs for Krishnarajsagar Division" with the above enquiry number.

This enquiry will be closed on the 1st April 1940.

*Schedule.*

| Item No. | Description of material offered | Quantity | Price quoted F. O. R. | Time of delivery |
|---|---|---|---|---|
| 1 | Electric Bulbs 230 Volts, 5 to 10 C. P., miniature or small, bayonet cap—Natural Blue .. | 144 | *Belagola.* | |

*N.B.*—(1) The name of the manufacturers should be specified.
(2) Sample bulb should be furnished with the quotation. (Samples are non-returnable.)

---

*No. S. P. C.* 29602-24, *dated 9th March* 1940.

To

*The Firms dealing in Surgical Instruments and Hospital Appliances.*

*Enquiry No.* 3947.

INSTRUMENTS REQUIRED FOR CHELUVAMBA HOSPITAL, MYSORE.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for instruments required for the Cheluvamba Hospital, Mysore" with the above enquiry number.

This enquiry will be closed on the 5th April 1940.

SCHEDULE.

*Indent for Special Surgical Instruments, appliances, etc., required for use in Cheluvamba Hospital, Mysore, for the year* 1939-40.

| Sl. No. | Name of instrument | Bombay Surgical Co., Bombay, Catalogue Figure No. | Number required |
|---|---|---|---|
| | *Surgical Instruments.* | | |
| 1 | Safety Pins Bunts' .. .. .. .. | 5048 | 6 |
| 2 | Towel holding Forceps, Moynihan's .. .. .. | 5041 | 4 |
| 3 | Surgical Knives, Handle No. 4 .. .. .. | 5110 | 1 |
| 4 | Do Handle No. 7 .. .. .. | 5110 | 1 |
| 5 | Do Blades, rib back Nos. 21, 22, 23 .. | 5112 | 1 packet each. |
| 6 | Do do No. 15 .. .. | 5111 | 1 packet |
| 7 | Abscess knife, Symes' .. .. .. .. | 5119 | 3 |
| 8 | Fistulla Director Brodies' .. .. .. .. | 5124 | 4 |
| 9 | Volkaman's Scoop .. .. .. .. .. | 5142 (a) | 1 |
| 10 | Lister's Sinus Forceps 7" .. .. .. .. | 5145 | 6 |
| 11 | Blackman's Suture Tube Breaker .. .. .. | 5244 | 1 |
| 12 | Ligature Stitch Scissors and Wire cutter .. .. | 5254 | 1 |
| 13 | Needle Box, Empty .. .. .. .. | 5295 | 1 |

| Sl. No. | Name of instrument | Bombay Surgical Co., Bombay, Catalogue Figure No. | Number required |
|---|---|---|---|
| 14 | Needle Case, empty | 5297 | 1 |
| 15 | Spring Dressing Forceps | 5365 | 1 |
| 16 | Scissors Mayo's curved on flat $6\frac{3}{4}''$ | 5383 (*b*) | 1 |
| 17 | Do Straight $6\frac{3}{4}''$ | 5382 (*b*) | 1 |
| 18 | Sterilizer Forceps, Cheetle's $10\frac{1}{2}''$ | 5480 | 6 |
| 19 | Do do $11\frac{1}{4}''$ | 5483 | 2 |
| 20 | Gas Regulator Holdon | 5618 | 1 |
| 21 | Nasal Speculum large, Thudichum's | 5714 | 1 |
| 22 | Catheter Sterilizing Box, $16''\times3\frac{1}{2}''$ | 6083 | 1 |
| 23 | Embriotomy Scissors, Duboa's | 6169 | 1 |
| 24 | Decapitation Hook | 6178 | 1 |
| 25 | Mucus Evacuator | 6204 | 1 |
| 26 | Guscoe's Vaginal Speculum | 6276 | 2 |
| 27 | Tongue Forceps, Kocher's | 6619 (*a*) | 1 |
| 28 | Mouth Gag, Jenning's | 6637 | 1 |
| 29 | Sedimentation glass | 6818 | 6 |
| 30 | Pulse glass $\frac{1}{2}$ minute | 6852 | 11 |
| 31 | Invalid air cushions 16" diameter | 7079 | 2 |
| 32 | Medicine dropper straight | 7114 | 12 |
| 33 | S. R. Zinc Oxide Adhesive Plaster Roll. 2" | 7146 | 1 |
| 34 | Spirit stove | 7229 | 6 |
| 35 | Dressing Scissors straight 7" | 5379 | 1 |
| 36 | Artery Forceps Spencer Wells' curved on flat 6" | 5019 (*a*) | 6 |
| 37 | Halsted's Artery Forceps "Mosquito" type, curved | 5026 (*a*) | 3 |
| 38 | Do do straight | 5025 (*a*) | 3 |
| 39 | Pean's Vulsellum forceps | 6248 (*d*) | 3 |
| 40 | Umbilical Belt medium | 6173 | 1 |
| 41 | Pelvi-Meter "Surgico" pattern | 6198 | 1 |
| 42 | Sterilizer Forceps Harrison's | 5482 | 2 |
| 43 | Dressing Bins, $13''\times9\frac{1}{2}''$ | 6923 (*h*) | 4 |
| 44 | Gas Cylinder for carbon-dioxide | 5014 | 1 |
| 45 | Allis' Peritonium Forceps 6" | 5037 (*a*) | 6 |

| Sl. No. | Name of instrument | Chas. F. Thackery's Ltd., London Catalogue No. | Number required |
|---|---|---|---|
| 1 | Chill's Mitchel clip holding Forceps for carrying clips | 1535 | 1 |
| 2 | Sim's Vaginal Speculum with electric attachment | 1017 (*a*) | 1 |
| 3 | Wheeler's Suction Tube | A. D. 1920 | 1 |
| 4 | Fouli's Tourniquet | 1969 | 3 |
| 5 | Crile's Malleable Retractors, $2\frac{1}{2}''\times1\frac{1}{2}''$ | 1298 | 1 pair |
| 6 | Tongue Depressor | 2259 | 1 |
| 7 | Needle and Syringe lifting Forceps | A. D. 8999 | 1 |

| Sl. No. | Name of Instrument | Jetter & Scheerer Aesculapiuse Catalogue Section "F" | Quantity |
|---|---|---|---|
| 1 | Vaginal Speculum Tenison's Blades 60×30 m.m. | F. 294 | 1 |
| 2 | Double Vaginal Speculum Sim's 32×42 m.m. | F. 435 | 1 |
| 3 | Vaginal Speculum and Retractor Kristeller's Blade 136 m.m. | F. 679 | 1 |

| Sl. No. | Name of instrument | Jetter & Scheerer Aesculapius Catalogue Section "F" | Quantity |
|---|---|---|---|
| 4 | Cotton & Caustic Carrier .. .. .. .. | F. 1437 | 1 |
| 5 | Vulsellum Forceps Saenger's .. .. .. | F. 1888 | 1 |
| 6 | Polypus Forceps curved Sim's Maier's .. .. | F. 2224 | 1 |
| 7 | Do. do Jeannel's .. .. | F. 2265 | 1 |
| 8 | Cyst Forceps Pean's .. .. .. .. | F. 2276 | 1 |
| 9 | Uterine Morcellation Forceps and Traction Forceps, Pryor's .. .. .. .. .. | F. 2303 | 1 |
| 10 | Uterine Elevating Forceps, Somer's .. .. .. | F. 2415 | 1 |
| 11 | Peritonial Forceps Mikulicz' full curved on flat .. | F. 2821 | 6 |
| 12 | Artery Forceps, Loth's Cuvred on flat .. .. | F. 2765 | 6 |
| 13 | Do do Kocher's Straight .. | F. 2773 | 6 |
| 14 | Do do curved on flat 6" long .. | F. 2783 | 6 |
| 15 | Uterine Curette Hegar's Size 3 .. .. .. | F. 3640 | 1 |
| 16 | Do Irrigating Auvard's Size 2 .. .. .. | F. 3790 | 1 |
| 17 | Do Blake's double ended sharp .. .. .. | F. 3840 | 1 |
| 18 | Uterine Scissors' Mayo's .. .. .. .. | F. 3878½ | 1 |
| 19 | Do Sim's curved on flat .. .. | F. 3986 | 1 |
| 20 | Perinium, Scissors .. .. .. .. | F. 4070 | 1 |
| 21 | Abdominal Retractors, Collin's 3 bladed 8 C. M. .. | F. 4382 | 1 |
| 22 | Perinium Needle Croft's .. .. .. .. | F. 4772 | 1 |
| 23 | Needle Holder Riverdin's with three needles .. .. | F. 4726 | 1 |
| 24 | Aneurism Needles, Deschamp's Blunt .. .. | F. 4884 | 1 |
| 25 | Internal Pervimeter De'Lees' .. .. .. | F. 6026 | 1 |
| 26 | Cephalotomy Scissors, Dubois' Curved .. .. | F. 7071 | 1 |
| 27 | Wound Stretcher Kifa's .. .. .. .. | F. 4180 | 1 |

| Sl. No. | Name of instrument | M. Shah & Company, Raj Bhavan, Sandhurst Road, Bombay | Quantity |
|---|---|---|---|
| 1 | B. D. Jarco Pressometer .. .. .. .. | .... | 1 |
| 2 | B. D. Mano-Meter Hospital Type on Stand .. .. | .... | 2 |
| 3 | Hersch Transfusion apparatus complete .. .. | .... | 1 |

| *Other Special Surgical Appliances* | *Quantity* |
|---|---|
| 1. Battery of Electric Sterilizers set of three each mounted on stand as per Hospital Sample .. .. .. .. .. .. | 4 |
| 2. Instrument table, Size 36"×36"×24" welded tubular steel construction, two ¼" thick glass shelves white enamelled .. .. .. | 4 |
| 3. Instrument Cabinet, large, white enamelled, size 63"×48"×18" pressed steel construction, welded joints with rounded corners, 5 removable glass shelves (galss) ¼" thick .. .. .. .. .. | 1 |
| 4. Do do small, size 63"×26"×18" with seven removable shelves (Glass) white enamelled .. .. .. .. | 1 |
| 5. Water distilling apparatus, electrically controlled .. .. .. | 1 |
| 6. Bedside Screen frames four fold without curtains mounted on castors, height 5'-10" width of each panel 24" white enamelled, similar to Thackray's Fig. No. 3104 .. .. .. .. .. | 12 |
| 7. Radient Heat Apparatus fitted with 9 bulbs (Malgam Brothers, Bombay) .. | 1 |
| 9. Bedside tables as per pattern of Thackray's Fig. No. 3066, white enamelled.. | 2 |
| 9. Electric Stoves .. .. .. .. .. .. .. | 11 |

*N.B.*—(1) The prices to be quoted should be for delivery, *f.o.r., Mysore.*

(2) Referenece is given to catalogue figures of different firms to show the type and quality suited to the hospital. Suitable alternatives may also be offered for our consideration.

(3) In the case of alternative offers, descriptive leaflets and sketches of materials should be furnished with the quotation.

Yours faithfully,

MIR SAFDAR HUSSAIN,

*Secretary,*

*Stores Purchase Committee.*

*No. S. P. C., dated 13th March 1940.*

ERRATUM.

In the specification of the pumping set to be installed at the Sankey's Reservoir of the Bangalore Palace appearing at page 508 of the *Mysore Gazette*, dated 7th March 1940, Part VI, substitute under item (3) Power available—"A.C. 3 phase" *for* "A.C. 4 phase".

MIR SAFDAR HUSSAIN,
*Secretary,*
*Stores Purchase Committee.*